CHILDHOOD LEAD POISONING CONTROL PROGRAM

ILLINOIS DEPARTMENT OF PUBLIC HEALTH CONSENT FORM

Child	to be Tested (Plea	ase Print):							
						Date	of Birth _	/	/
Last		First		Middle					
Race	(✓ all that apply):	White Black		erican Indian	Hispanic		r (circle)	Male	Female
Physic	cian's Name:			_ Mother	's Maid	en Name:			
Paren	t / Legal Guardiar	า's Name (Plea	ase Print):					
Progra	undersigned, hereby m of Illinois Departr ng procedures will or	ment of Public I	Health, inc	luding the					
1.	Medical and limited other information concerning the named child and certain members of the family will be recorded.								
2.	Specimens of blood will be obtained by the fingerstick method from the named child for laboratory determinations. I have been informed that I may choose to contact my child's physician and have this test performed by venous sample at my doctor's office or lab. I have decided to utilize the fingerstick method.								
3.	I understand that the fingerstick screening method of lead testing is simply a screening guide and if the results are 10 mcg/dL or greater a follow-up venous specimen will be required from a doctor's office or lab at an additional cost.								
4.	If a child is found to have undue lead absorption (too much lead), necessary follow-up tests will be performed.								
5.	If a child is found to hazards will be con						n for lead		
Public and/or confide	er understand that the Health and permissing agencies. All other ence. I also hereby to Dept. of Public Health	ion is given to re r information col acknowledge th	elease or on the contract of t	obtain nece he child na	ssary m med be	edical informatio low and his/her	n to or fro family is t	m prope o be ke	er persona ept in stric
Is the	child a Medical C	ard recipient?	(✓)	 s		WIC eligible?	· (<)	 es	No
Signature	e of PARENT or LEGAL G	UARDIAN		Hom	e / Cell Ph	one #	Worl	Phone #	
								_/	_/
Street Ac	ldress		City		State	Zip		Date	
Nurse S	Signature				_Asses	sment Only	YES	NO	
	Client—WIC ID I	Number Here:							

ILLINOIS DEPARTMENT OF PUBLIC HEALTH CHILDHOOD LEAD RISK ASSESSMENT QUESTIONNAIRE

ALL CHILDREN 6 MONTHS THROUGH 6 YEARS MUST BE ASSESSED FOR LEAD POISONING. (410 ILCS 45/6.2)

Chil	d's Name: Today's	s Date:	/			
Child's Age: Child's Birth Date:/ Child's Zip Code						
Res	pond to the following questions by circling the appropriate ans	wer.		l	RESPONSE	
1.	Is this child eligible for or enrolled in Medicaid, Early Head Start, He Start, KidCare, All Kids, or WIC?	ead	Yes	No	Don't Know	
2.	Does this child have a sibling with a blood lead level of 10 mcg/dL higher?	or	Yes	No	Don't Know	
3.	Does this child live in or regularly visit a home that was built before	1978?	Yes	No	Don't Know	
4.	In the past one year, has this child been exposed to repairs, repain renovation of a home built before 1978?	ting, or	Yes	No	Don't Know	
5.	Is this child a refugee or an adoptee from a foreign country?		Yes	No	Don't Know	
6.	Has this child ever been to Mexico, Central or South America, Asia countries (i.e. China or India), or any country where exposure to lea certain items could have occurred (for example: cosmetics, home remedies, folk medicines, or glazed pottery)?		Yes	No	Don't Know	
7.	Does this child live with someone who has a job or a hobby that mainvolve lead (for example: jewelry making, building renovation or rebridge construction, plumbing, furniture refinishing, or work with automobile batteries or radiators, lead solder, leaded glass, lead shoullets, or lead fishing sinkers)?	epair,	Yes	No	Don't Know	
8.	At any time, has this child lived near a factory where lead is used (texample: a lead smelter or a paint factory)?	for	Yes	No	Don't Know	
Nur	Nurse to complete:					
9.	Does this child reside in a high-risk ZIP code area?		Yes	No	Don't Know	
A b	 lood test should be performed on children: with any"Yes" or "Don't Know" response living in a high-risk ZIP code area 					
eligil	Medicaid-eligible children should have a blood lead test at 12 months ble child between 36 months and 72 months of age has not been propried.					id-
If the	 ere is any "Yes" and "Don't Know" response; and there has been no change in the child's living conditions; and the child has proof of two consecutive blood test results (docu (with one test at age 2 or older), a blood lead test is not needed 	umented bel		t are e	each less than 10 m	cg/dl
Test	1: Blood Lead Resultmcg/dL Date// Test 2: Blood	d Lead Resi	ultr	ncg/d	L Date//	_
If responses to all questions are "NO," re-evaluate at every well child visit or more often if deemed necessary.						
Sign	ATURE OF DOCTOR/NURSE			DATE		

Illinois Department of Public Health (800) 545-2200 or (217) 782-0403 TTY (hearing impaired use only) (800) 547-0466

BLOOD LEAD SCREENING

(Child's Name)	had a blood lead screening / lead risk assessment on
, , ,	e result will be recorded with the child's immunization record
which is or	n file at Logan County Health Department.
	(SIGNATURE OF REGISTERED NURSE)

CHILDHOOD LEAD POISONING

1. What is lead?

Lead is a naturally-occurring metal that is unsafe at any level in our bodies.

2. What is lead poisoning?

Lead poisoning is the presence of too much lead in the body.

3. What are the symptoms of lead poisoning?

Children with lead poisoning usually have no obvious signs or abnormal symptoms.

4. How does lead poisoning affect children?

Lead decreases children's ability to learn and may lead to behavioral problems.

5. Who gets lead poisoning?

People of any age, race, or economic level, but children are at the greatest risk because of oral behaviors and hand contamination.

6. What are some sources of present lead exposure?

- Dust and paint chips from deteriorating lead-based paint in homes built before 1978
- Soil contaminated with lead
- Imported glazed pottery or other products made outside of the United States that contain lead
- Food, medicines, or folk remedies from foreign countries that contain lead
- Family members who have occupations or hobbies involving lead
- Drinking water from plumbing containing lead

7. How can I tell if my child has lead poisoning?

The only way to diagnose lead poisoning is with a blood test. The blood sample is sent to a Laboratory to find out how much lead it contains.

8. When should I have my child assessed or tested?

- A child should be assessed for lead exposure at every well child visit between 6 months and 6 years.
- Blood lead tests are recommended at 12 and 24 months of age.
- When a high risk of lead exposure exists.
- All children eligible for or enrolled in Medicaid, Head Start, All Kids, or WIC are required to have blood lead testing.

To assess your child's possible exposure to lead, please answer the questions on the previous page and discuss any questions or concerns regarding lead poisoning with your child's health care provider.

Printed by Authority of the State of Illinois P.O. #377734 2M 1/07